

CONTENTS

ORIGINAL ARTICLE	Is Noninvasive Continuous Cardiac Output Technique Based on Pulse Wave Transit Time Applicable in Cardiac Output Monitoring during Thoracic Aortic Aneurysm Surgery? <i>Kajitani M, Ochiai R</i>	85
	Diagnostic and Prognostic Impacts of Six Autoantibodies against Multiple Tumor-Associated Antigens with Hepatocellular Carcinoma <i>Okada R, Hoshino I, Nabeya Y, Yokoi S, Kuwajima A, Tagawa M, Matsushita K, Otsuka Y, Shimada H</i>	93
	Alpha-Tocopherol Ameliorates Experimental Autoimmune Neuritis by Exerting Antioxidant Effects and Suppressing Cytokine Production <i>Kihara H, Konno S, Fujioka T</i>	101
	Comparison of First- and Second-Generation Drug-Eluting Stents for Bifurcation Stenting Followed by the Final Kissing-Balloon Technique <i>Fujii T, Watanabe I, Nakanishi R, Amano H, Toda M, Ikeda T</i>	111
	Prediction of Intraoperative Pressure Responsiveness by Dynamic Arterial Elastance in Patients Undergoing Major Abdominal Surgery <i>Kimura H, Maki Y, Toyoda D, Kotake Y</i>	120

Copyright © 2019 The Medical Society of Toho University.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior written permission of the publisher, The Medical Society of Toho University.

Disclaimer: Publisher cannot be held responsible against any injuries and damages caused by the use of information contained herein. The views and opinions expressed do not reflect those of the Toho University.