

東邦大学学術リポジトリ

Toho University Academic Repository

タイトル	Contents
作成者（著者）	The Medical Society of Toho University
公開者	The Medical Society of Toho University
発行日	2018.12.01
ISSN	21891990
掲載情報	Toho Journal of Medicine. 4(4).
資料種別	その他
著者版フラグ	publisher
メタデータのURL	https://mylibrary.toho u.ac.jp/webopac/TD12581584

CONTENTS

REVIEW ARTICLE	152nd Regular Meeting of the Medical Society of Toho University Professor Special Lecture Efficacy and Future Prospects for Intraoperative Glycemic Management Using a New Artificial Pancreas with a Closed-Loop Blood Glucose Monitoring System <i>Kitamura T</i>	107
ORIGINAL ARTICLE	Parathyroidectomy for Tertiary Hyperparathyroidism: A Single-Center Experience <i>Saito F, Sumazaki M, Osaku T, Ogata H</i>	116
	Correlation between Peripapillary Atrophy and Optic Nerve Head Blood Flow in Eyes with Untreated Normal-Tension Glaucoma <i>Ito H, Takumi T, Enomoto N, Anraku A, Ishida K, Tomita G</i>	123
	Metabolic Tumor Volume and Total Lesion Glycolysis in PET/CT are Related with the Clinicopathological T Stage of Colorectal Cancer and Predict its Prognosis <i>Kido H, Mizumura S, Funahashi K, Shibuya K, Urita Y, Terahara A</i>	132
CASE REPORT	Unusual Massive Endometrial Hyperplasia: Initial Presentation with a Small Ovarian Granulosa Cell Tumor <i>Takeya C, Komiyama S, Kugimiya T, Takahashi R, Kubushiro K, Takahashi K</i>	141
	Drug-Induced Fanconi Syndrome in a Patient with Breast Cancer: A Case Report <i>Saito F, Osaku T, Sato G, Sumazaki M, Sasaki Y, Kijima S, Urita Y, Ogata H</i>	146

Copyright © 2018 The Medical Society of Toho University.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior written permission of the publisher, The Medical Society of Toho University.

Disclaimer: Publisher cannot be held responsible against any injuries and damages caused by the use of information contained herein. The views and opinions expressed do not reflect those of the Toho University.