

東邦大学学術リポジトリ

Toho University Academic Repository

タイトル	Retracted : Comparison of First and Second Generation Drug Eluting Stents for Bifurcation Stenting Followed by the Final Kissing Balloon Technique
作成者 (著者)	Fujii, Takahiro / Watanabe, Ippei / Nakanishi, Rine / Amano, Hideo / Toda, Mikihiro / Ikeda, Takanori
公開者	The Medical Society of Toho University
発行日	2019.09.01
ISSN	21891990
掲載情報	Toho Journal of Medicine. 5(3). p.111-119.
資料種別	学術雑誌論文
内容記述	Original Article
著者版フラグ	publisher
JaLCDOI	info:doi/10.14994/tohojmed.2018-021
メタデータのURL	https://mylibrary.toho-u.ac.jp/webopac/TD26596774

Retraction

Retracted: Comparison of First- and Second-Generation Drug-Eluting Stents for Bifurcation Stenting Followed by the Final Kissing-Balloon Technique

Takahiro Fujii Ippei Watanabe Rine Nakanishi
Hideo Amano Mikihito Toda and Takanori Ikeda

Department of Cardiovascular Medicine, Toho University Graduate School of Medicine, Tokyo, Japan

The Editorial Committee of the Toho Journal of Medicine has retracted this article¹⁾ because concerns have been raised regarding the study design and statistical analysis presented in this article.¹⁾

Specifically:

The major error in this article was shown in Table 1 which includes patients characteristics. Although those data should have been analyzed by per-patient, the per-vessel analysis was done. The followings were other minor errors regarding this article.

- The referred guidelines regarding percutaneous coronary intervention strategy was not correct for the background in the study population.
- The most of percentages arisen in Table 1 regarding the study subjects were incorreced.
- In Figure 2, Kaplan-Meier curve lacks the number at risk.
- Conducting multivariate analysis was incorrect to assess the outcome form this study population because of a weaker statistical power.
- The mistakable information about the informed consent. The public notification regarding this retrospective study was uploaded on the web site of Toho University.

The authors apologized for the above issues and requested retraction of the article. These issues were not obvious to the authors when the paper was written.

Reference

1. Fujii T, Watanabe I, Nakanishi R, Amano H, Toda M, Ikeda T. Comparison of First- and Second-Generation Drug-Eluting Stents for Bifurcation Stenting Followed by the Final Kissing-Balloon Technique. Toho J Med. 2019; 5 (3): 111-9.